

Material Safety Data Sheet

COAT-IT HARDENER

1. Product and company identification

Product name : COAT-IT HARDENER
Supplier : Eclectic Products Inc.

1075 Arrowsmith Eugene, OR 97402 541-484-9621

Material uses : Consumer products: Consumer product.

Manufacturer: Eclectic Products Inc.

1075 Arrowsmith Eugene, OR 97402 541-484-9621

 Code
 : 1085401

 Validation date
 : 11/6/2013.

 Print date
 : 11/6/2013.

Responsible name : Regulatory Compliance

In case of emergency : CALL INFOTRAC

1-800-535-5053 or 001-352-323-3500

2. Hazards identification

Physical state : Liquid.

Emergency overview : DANGER!

CAUSES EYE BURNS. CAUSES RESPIRATORY TRACT AND SKIN IRRITATION. MAY CAUSE ALLERGIC RESPIRATORY AND SKIN REACTION. MAY BE

HARMFUL IF SWALLOWED. Corrosive to eyes. Causes burns. May be harmful if swallowed. Severely irritating to the skin and respiratory system. May cause sensitization by inhalation and skin

contact. Do not breathe vapor or mist. Do not ingest. Do not get in eyes or on skin or clothing. Use only with adequate ventilation. Keep container tightly closed and sealed

until ready for use. Wash thoroughly after handling.

Routes of entry : Dermal contact. Eye contact. Inhalation.

Potential acute health effects

Inhalation: Severely irritating to the respiratory system. May cause sensitization by inhalation.

Exposure to decomposition products may cause a health hazard. Serious effects may be

delayed following exposure.

Ingestion : Harmful if swallowed. May cause burns to mouth, throat and stomach.

Skin : Severely irritating to the skin. May cause sensitization by skin contact.

Eyes: Corrosive to eyes. Causes burns.

Potential chronic health effects

Chronic effects : Ønce sensitized, a severe allergic reaction may occur when subsequently exposed to

very low levels.

Carcinogenicity: No known significant effects or critical hazards.

Mutagenicity: No known significant effects or critical hazards.

Teratogenicity: No known significant effects or critical hazards.

Developmental effects: No known significant effects or critical hazards.

Fertility effects: No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Target organs : Contains material which may cause damage to the following organs: kidneys, liver, mucous membranes, gastrointestinal tract, upper respiratory tract, skin, central nervous

system (CNS), eye, lens or cornea.

11/6/2013. 1/10

Hazards identification 2.

Over-exposure signs/symptoms

Inhalation

: Adverse symptoms may include the following:

respiratory tract irritation

couahina

wheezing and breathing difficulties

asthma

Ingestion : No specific data.

Skin : Adverse symptoms may include the following:

> irritation redness

: Adverse symptoms may include the following: **Eyes**

> watering redness

Medical conditions aggravated by overexposure

: Fre-existing respiratory and skin disorders may be aggravated by over-exposure to this product.

See toxicological information (Section 11)

Composition/information on ingredients 3.

Name CAS number **D**iethylenetriamine 111-40-0 10-30 Bisphenol A 80-05-7 5-10 Tetraethylenepentamine 112-57-2

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4 First aid measures

Check for and remove any contact lenses. Immediately flush eves with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Skin contact

Eye contact

r case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.

Inhalation

: Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Ingestion

Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Notes to physician

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

11/6/2013. 2/10

5. Fire-fighting measures

Flammability of the product

: In a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

Suitable

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable

: None known.

Special exposure hazards

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Hazardous combustion products

: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

7. Handling and storage

Handling

with on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Persons with a history of skin sensitization problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

11/6/2013. 3/10

8. Exposure controls/personal protection

Product name Exposure limits

Diethylenetriamine ACGIH TLV (United States, 3/2012). Absorbed through skin.

TWA: 4.2 mg/m³ 8 hour(s). TWA: 1 ppm 8 hour(s).

NIOSH REL (United States, 1/2013). Absorbed through skin.

TWA: 4 mg/m³ 10 hour(s). TWA: 1 ppm 10 hour(s).

OSHA PEL 1989 (United States, 3/1989).

TWA: 4 mg/m³ 8 hour(s). TWA: 1 ppm 8 hour(s).

Tetraethylenepentamine AIHA WEEL (United States, 10/2011). Absorbed through skin. Skin

sensitizer.

TWA: 5 mg/m³ 8 hour(s).

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eyes

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Skin

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

Physical state : Liquid.

Flash point : Closed cup: 126.11°C (259°F)

Color : Clear. Amber.

Odor : Not available.

Boiling/condensation point : >100°C (>212°F)

Specific gravity : 0.95 Estimated Vapor Density : >1 [Air = 1]

VOC % : 0%

11/6/2013. 4/10

COAT-IT HARDENER

9. Physical and chemical properties

Evaporation rate : 7 (butyl acetate = 1)

Solubility : Not available.

10. Stability and reactivity

Stability : The product is stable.

Conditions to avoid : No specific data.

Materials to avoid : No specific data.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

Hazardous polymerization : Inder normal conditions of storage and use, hazardous polymerization will not occur.

11. Toxicological information

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Diethylenetriamine	LD50 Dermal	Rabbit	1090 mg/kg	-
·	LD50 Intraperitoneal	Rat	74 mg/kg	-
	LD50 Oral	Rat	1080 mg/kg	-
	LD50 Unreported	Rat	970 mg/kg	-
Bisphenol A	LD50 Dermal	Rabbit	3 mL/kg	-
·	LD50 Intraperitoneal	Rat	200 mg/kg	-
	LD50 Oral	Rat	4240 mg/kg	-
	LD50 Oral	Rat	3250 mg/kg	-
	LD50 Oral	Rat	1200 mg/kg	-
	LDLo Oral	Rat	2500 mg/kg	-
	TDLo Intraperitoneal	Rat	150 mg/kg	-
	TDLo Intraperitoneal	Rat	37.5 mg/kg	-
	TDLo Oral	Rat	1000 mg/kg	-
	TDLo Subcutaneous	Rat	400 mg/kg	-
	TDLo Subcutaneous	Rat	5.9 mg/kg	-
Tetraethylenepentamine	LD50 Dermal	Rabbit	660 uL/kg	-
•	LD50 Intraperitoneal	Rat	205 mg/kg	-
	LD50 Oral	Rat	3990 mg/kg	-

Carcinogenicity

Conclusion/Summary

IDLH : Not available.

Synergistic products : Not available.

12. Ecological information

Environmental effects: No known significant effects or critical hazards.

Aquatic ecotoxicity

Product/ingredient name Test Result Species Exposure

11/6/2013. 5/10

12 . Ecological information

	_			
万 iethylenetriamine	-	Acute EC50 345600 ug/L Fresh water	Algae - Green algae - Pseudokirchneriella subcapitata	96 hours
	-	Acute LC50 1014000 ug/L Fresh water	Fish - Guppy - Poecilia reticulata	96 hours
	-	Acute LC50 53500 ug/L Fresh water	Daphnia - Water flea - Daphnia magna	48 hours
Bisphenol A	-	Acute EC50 >10.5 mg/L Fresh water	Daphnia - Water flea - Daphnia magna - Neonate - <24 hours	48 hours
	-	Acute EC50 7.75 mg/L Fresh water	Daphnia - Water flea - Daphnia magna - Neonate - <24 hours	48 hours
	-	Acute EC50 10200 ug/L Fresh water	Daphnia - Water flea - Daphnia magna	48 hours
	-	Acute EC50 3100 ug/L Fresh water	_	96 hours
	-	Acute EC50 2700 ug/L Fresh water	Algae - Green algae - Pseudokirchneriella subcapitata	96 hours
	-	Acute EC50 1800 ug/L Marine water		96 hours
	-	Acute EC50 1000 ug/L Marine water		96 hours
	-	Acute LC50 12.8 mg/L Fresh water	Daphnia - Water flea - Daphnia magna	48 hours
	-	Acute LC50 5.6 mg/L Fresh water	Crustaceans - elc:o3n0:7pt - Gammarus pulex - 3 to 5 mm	48 hours
	-	Acute LC50 4.2 mg/L Marine water	Crustaceans - Calanoid copepod - Acartia tonsa - Adult - 10 to 12 days	48 hours
	-	Acute LC50 1.34 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Larvae - 24 hours	48 hours
	-	Acute LC50 17.93 ppm Fresh water	Fish - ekb:c3n0:7pt - Xiphophorus helleri - Adult	96 hours
	-	Acute LC50 9400 ug/L Marine water		96 hours

11/6/2013. 6/10

12. Ecological information

Menidia menidia Acute LC50 4700 Fish - Fathead 96 hours ug/L Fresh water minnow -**Pimephales** promelas Acute LC50 4600 Fish - Fathead 96 hours ug/L Fresh water minnow -**Pimephales** promelas Acute LC50 1600 Crustaceans -48 hours ug/L Marine water Opossum shrimp - Americamysis bahia Chronic NOEC 1 Daphnia - Water 21 days mg/L Fresh water flea - Daphnia magna - Neonate - <24 hours Chronic NOEC Daphnia - Water 21 days 0.8 mg/L Fresh flea - Daphnia magna - Neonate water - <24 hours Chronic NOEC Fish -60 days 0.2 to 20 ppb ekb:c3n0:7pt -Fresh water **Xiphophorus** helleri - Juvenile (Fledgling, Hatchling, Weanling) - 30 days

Conclusion/Summary Biodegradability

: Not available.

Conclusion/Summary

: Not available.

13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

11/6/2013. 7/10

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	27 35	mines, liquid, corrosive, n.o.s. (Tetraethylenepentamine, Diethylenetriamine)	8	M	CORROSINE	Vimited quantity Yes.
TDG Classification	27 35	mines, liquid, corrosive, n.o.s. (Tetraethylenepentamine, Diethylenetriamine)	8	III		-
IMDG Class	2 735	Amines, liquid, corrosive, n.o.s. (Tetraethylenepentamine, Diethylenetriamine)	8	III		Emergency schedules (EmS) F-A, S-B Remarks Limited quantity
IATA-DGR Class	27 35	Amines, liquid, corrosive, n.o.s. (Tetraethylenepentamine, Diethylenetriamine)	8	111		-

PG*: Packing group

15. Regulatory information

U.S. Federal regulations : TSCA 8(b) inventory. All components are listed or exempted.

SARA 311/312 - Acute, Chronic

SARA 313

Froduct name CAS number 80-05-7 5-10

Form R - Reporting requirements

This product contains toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986, and subpart C-Supplier Notification Requirement of 40 CFR Part 372.

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

Canada

WHMIS (Canada) : Class D-1B: Material causing immediate and serious toxic effects (Toxic).

Class D-2A: Material causing other toxic effects (Very toxic). Class D-2B: Material causing other toxic effects (Toxic).

Class E: Corrosive material

Canada inventory: All components are listed or exempted.


This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

Mexico

Classification

11/6/2013. 8/10

15. Regulatory information



EU regulations

Hazard symbol or symbols



Risk phrases : R62- Possible risk of impaired fertility.

R34- Causes burns.

R43- May cause sensitization by skin contact.

R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Safety phrases : S2- Keep out of the reach of children.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the

label where possible).

International regulations

International lists

: **Kustralia inventory (AICS)**: All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted.

Japan inventory: All components are listed or exempted. **Korea inventory**: All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Philippines inventory (PICCS): All components are listed or exempted.

EU Inventory : MI components are listed or exempted.

16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Date of printing : 11/6/2013.

Date of issue : 11/6/2013.

11/6/2013. 9/10

COAT-IT HARDENER

16. Other information

Date of previous issue : 3/23/2012. Version : 1.02

▼ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

11/6/2013. 10/10



Material Safety Data Sheet

COAT-IT RESIN

1. Product and company identification

Product name : COAT-IT RESIN

Supplier : Eclectic Products Inc.

1075 Arrowsmith Eugene, OR 97402 541-484-9621

Material uses : Consumer products: Consumer product.

Manufacturer : Eclectic Products Inc.

1075 Arrowsmith Eugene, OR 97402 541-484-9621

 Code
 : 1085400

 Validation date
 : 3/23/2012.

 Print date
 : 3/23/2012.

Responsible name : Regulatory Compliance

In case of emergency : CALL INFOTRAC

800-535-5053 001-352-323-3500

2. Hazards identification

Physical state : Liquid.

Emergency overview : WARNING!

CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. MAY CAUSE

ALLERGIC SKIN REACTION.

Irritating to eyes, respiratory system and skin. May cause sensitization by skin contact. Do not breathe vapor or mist. Do not get on skin or clothing. Avoid contact with eyes. Use only with adequate ventilation. Keep container tightly closed and

sealed until ready for use. Wash thoroughly after handling.

Routes of entry : Dermal contact. Eye contact. Inhalation.

Potential acute health effects

Inhalation : Irritating to respiratory system.

Ingestion : No known significant effects or critical hazards.

Skin : Irritating to skin. May cause sensitization by skin contact.

Eyes : Irritating to eyes.

Potential chronic health effects

Chronic effects
 No known significant effects or critical hazards.
 Carcinogenicity
 No known significant effects or critical hazards.
 Mutagenicity
 No known significant effects or critical hazards.
 Teratogenicity
 No known significant effects or critical hazards.
 Developmental effects
 No known significant effects or critical hazards.
 Fertility effects
 No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation: Adverse symptoms may include the following:

respiratory tract irritation

coughing

Ingestion: No specific data.

Skin : Adverse symptoms may include the following:

irritation redness

3/23/2012. 1/6

2. Hazards identification

Eyes

: Adverse symptoms may include the following: pain or irritation

watering redness

Medical conditions aggravated by over-

: Pre-existing skin disorders may be aggravated by over-exposure to this product.

exposure

See toxicological information (section 11)

3. Composition/information on ingredients

NameCAS number%Bisphenol A/Epichlorohydrin Epoxy ResinMixture30-60Bisphenol F/Epichlorohydrin Epoxy Resin28064-14-45-10

There are no ingredients or additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Eye contact

: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention.

Skin contact

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Inhalation

: Move exposed person to fresh air. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Ingestion

: Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing or wear gloves.

Notes to physician

: No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

3/23/2012. 2/6

5. Fire-fighting measures

Flammability of the product

: In a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

Suitable

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable

: None known.

Special exposure hazards

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Hazardous combustion products

: Decomposition products may include the following materials:

carbon oxides

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

7. Handling and storage

Handling

Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

3/23/2012. 3/6

8. Exposure controls/personal protection

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eyes

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Skin

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

Physical state : Liquid.

Flash point : Closed cup: 204.44°C (400°F)

Color : Black.

Odor : Not available.

Boiling/condensation point : >100°C (>212°F)

Specific gravity : 1.34
Estimated Vapor Density : >1 [Air = 1]
VOC % : 0%

Evaporation rate : >1 (Butyl acetate. = 1)

Solubility : Not available.

10. Stability and reactivity

Stability

: The product is stable. Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to avoid : No specific data.

Materials to avoid : No specific data.

Hazardous decomposition products

 Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Hazardous polymerization

: Will not occur.

3/23/2012. 4/6

11. Toxicological information

Carcinogenicity

Conclusion/Summary

IDLH : Not available.Synergistic products : Not available.

12. Ecological information

Environmental effects

: No known significant effects or critical hazards.

Aquatic ecotoxicity

Conclusion/Summary

: Not available.

Biodegradability

Conclusion/Summary: Not available.

13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA-DGR Class	Not regulated.	-	-	-		-

PG*: Packing group

15. Regulatory information

United States inventory (TSCA 8b): All components are listed or exempted.

SARA 311/312 - Acute, Chronic

Canada

WHMIS (Canada) : Class D-2A: Material causing other toxic effects (Very toxic).

Class D-2B: Material causing other toxic effects (Toxic).

Canadian lists : CEPA Toxic substances: None of the components are listed.

Canadian NPRI: None of the components are listed.

Canada inventory: Not determined.

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

Mexico

Classification :

3/23/2012. 5/6

15. Regulatory information



EU regulations

Risk phrases : This product is not classified according to EU legislation.

International regulations

International lists : Australia inventory (AICS): Not determined. China inventory (IECSC): Not determined.

Korea inventory (KECI): Not determined.

Philippines inventory (PICCS): Not determined. Japan inventory (ENCS): Not determined.

Europe inventory: Not determined.

16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection

Association (U.S.A.)



Date of printing : 3/23/2012. **Date of issue** 3/23/2012.

Date of previous issue : No previous validation.

Version : 1.01

✓ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

3/23/2012. 6/6